

**Student Reporting Need**

Provide the ability to access information about an admissions applicant including personal data, addresses, telephone numbers, application data, curriculum choice, application decisions, admissions checklist data, sources, contacts, interests, high school attended, prior colleges, test scores, holds, international data.

This view is similar to AS\_ADMISSIONS\_APPLICANT with the addition of citizenship, attributes, cohort, rating and comments information.

**View:** NS Admissions Applicants (NS\_AS\_ADMISSIONS)  
Sql source code: nsv\_asadmissions.sql

Below is a list of the main database tables accessed by this view:

- SARADAP Admissions Applicant Repeating Table
- SARAPPD Student Application Decision Repeating Table
- SARCHKL Admissions Checklist Repeating Table
- SARRSRC Source of Recruit Repeating Table
- SOBSBGI Source/ Background Institution Table
- SORBCNT Source Institution Contact Table
- SORCONT Contact Repeating Table
- SORDEGR Prior College Degree Table
- SORHSCH Person Related High School Base Table
- SORINTS Outside Interests Repeating Table
- SORMAJR Prior College Major Repeating Table
- SORPCOL Person Related Prior College Base Table

- SORTEST Test Score Repeating Table
- SPBPERS Basic Person Base Table
- SPRADDR Address Repeating Table
- SPRIDEN Person Identification/ Name Repeating Table
- SPRINTL International Student Repeating Table
- SPRTELE Telephone Table
- SPRHOLD Person Related Holds Repeating Table
- SARAATT Admissions Attribute Repeating Table
- SARCHRT Cohort Admissions Table
- SARRRAT Selective Admissions Student Application Rating
- SARACMT Application Comments Repeating Table
- SPRCMNT Person Comments Repeating Table

**Key attributes:**

The key attributes of this view are:

- Personal ID Master PIDM\_KEY
- Processing Term Code TERM\_CODE\_KEY
- Application Number APPL\_NO\_KEY

Since the PIDM is an internal ID number unique to each student, this view returns one row for each student application per term.

**Mandatory Conditions:**

The following condition must be supplied for the view to report information at the level identified by the key attributes.

- Processing Term Code TERM\_CODE\_KEY

**Attributes:**

Attribute	Source Form	Source Field or Function Name	Description
PIDM_KEY	N/A	SARADAP_PIDM	Personal ID Master Key
TERM_CODE_KEY	SAAADMS	SARADAP_TERM_CODE_ENTRY	Term Applied For Key
TERM_DESC	SAAADMS	STVTERM_DESC	Term Code Description
APPL_NO_KEY	SAAADMS	SARADAP_APPL_NO	Application Number Key
COMPLETE_IND	Function	F_ADMS_APPLICATION_STATUS	Complete Admissions Applicant Indicator If SARADAP_APST_CODE = Complete, put a 'Y' in this field.
INCOMPLETE_IND	Function	F_ADMS_APPLICATION_STATUS	Incomplete Admissions Applicant Ind. If SARADAP_APST_CODE= Incomplete, put a 'Y' in this field.
INST_ACCEPTED_APP_ANY_DATE_IND	Function	F_ADMS_CHECK_STATUS	Institution Accepted Applicant Indicator (Any Date) If STVAPDC_INST_ACCEPT_IND= Y, put a 'Y' in this field.
APPL_ACCEPT_OFFER_ANY_DATE_IND	Function	F_ADMS_CHECK_STATUS	Applicant Accepted Offer Ind. (Any Date) If STVAPDC_STDN_ACCEPT_IND = Y, put a 'Y' in this field.

Admissions Applicants (NS\_AS\_ADMISSIONS)

INST_ACCEPTED_APP_CURR_DEC_IND	Function	F_ADMS_CHECK_STATUS	Institution Accepted Applicant Indicator (Most Recent Decision) If most recent STVAPDC_INST_ACCEPT_IND = Y, put a 'Y' in this field.
APPL_ACCEPT_OFFER_CURR_DEC_IND	Function	F_ADMS_CHECK_STATUS	Applicant Accepted Offer Indicator (Most Recent Decision) If most recent STVAPDC_STDN_ACCEPT_IND = Y, put a 'Y' in this field.
INST_REJECTED_APPLICANT_IND	Function	F_ADMS_CHECK_STATUS	Institution Rejected Applicant Indicator If STVAPDC_REJECT_IND = Y, put a 'Y' in this field.
APPLICANT_WITHDRAWN_IND	Function	F_ADMS_APPLICANT_WITHDRAWN	Withdrawn Indicator If SARADAP_WRSN_CODE is not null (has a value), put a 'Y' in this field.
ENROLLED_IND	Function	F_ENROLLED_THIS_TERM	Enrolled Indicator If there is an SFBETRM record with an ESTS_CODE and a corresponding STVESTS that has a Y in the STVESTS_EFF_HEADCOUNT field, put a 'Y' in this field.
REGISTERED_IND	Function	F_REGISTERED_THIS_TERM	Registered Indicator  If there is an SFRSTCR record with an RSTS_CODE and a corresponding STVRSTS record that has a 'Y' in the STVRSTS_INCL_SECT_ENRL field, put a 'Y' in this field.
FINAID_APPLICANT_IND	Function	F_FINAID_APPLICANT_IND	Financial Aid Applicant Indicator If Applicant's PIDM and the AID YEAR are in RORSTAT table, put a 'Y' in this field. Note: If your institution or facility does not have the Financial Aid system installed, a value of "N" is returned in this field.
ID	SPAIDEN	SPRIDEN_ID	Admission Applicant ID
SSN	SPAIDEN	SPBPERS_SSN	Adm. Applicant Social Security Number
LAST_NAME	SPAIDEN	SPRIDEN_LAST_NAME	Admission Applicant Last Name
FIRST_NAME	SPAIDEN	SPRIDEN_FIRST_NAME	Admission Applicant First Name
MIDDLE_NAME	SPAIDEN	SPRIDEN_MI	Admission Applicant Middle Name
MIDDLE_INITIAL	SPAIDEN	SUBSTR( SPRIDEN_MI, 1,1)	Admission Applicant Middle Initial Returns only first letter of middle name

Admissions Applicants (NS\_AS\_ADMISSIONS)

NAME_PREFIX	SPAPERS	SPBPERS_NAME_PREFIX	Admission Applicant Name Prefix
NAME_SUFFIX	SPAPERS	SPBPERS_NAME_SUFFIX	Admission Applicant Name Suffix
BIRTHDATE	SPAPERS	SPBPERS_BIRTH_DATE	Birthdate
AGE	Function	F_CALCULATE_AGE	Age If the person is deceased, calculated age will be the age at time of death
GENDER	SPAPERS	SPBERS_SEX	Gender
ETCT_CODE	STVETCT	STVETCT_CODE	Ethnicity Category
ETHN_CODE	SPAPERS	SPBPERS_ETHN_CODE	Ethnicity Code
ETHN_DESC	SPAPERS	STVETHN_DESC	Ethnicity Description
LGCY_CODE	SPAPERS	SPBPERS_LGCY_CODE	Legacy Code
LGCY_DESC	SPAPERS	STVLGCY_DESC	Legacy Description
DECEASED_IND	SPAPERS	SPBPERS_DEAD_IND	Deceased Indicator
DECEASED_DATE	SPAPERS	SPBPERS_DEAD_DATE	Date of Death
CONFIDENTIALITY_IND	SPAPERS	SPBPERS_CONFID_IND	Confidentiality Indicator

**Address & Telephone Information**

Select two Addresses and related information using the hierarchy defined for the Address Type (Admissions) concept on the GTVSDAX form. To see more information about this concept, refer to the manual Implementing GTVSDAX With SCT Banner Object: Access. You can also go to the GTVSDAX form in SCT Banner and query on the Internal Code = ADMSADDR and Internal Group = ADDRESS.

Note: Be sure that you refer to the correct Address Type concept since there is more than one

STREET1_LINE1	SPAIDEN	SPRADDR_STREET_LINE1	Street Address 1 1st Line
STREET1_LINE2	SPAIDEN	SPRADDR_STREET_LINE2	Street Address 1 2ndLine
STREET1_LINE3	SPAIDEN	SPRADDR_STREET_LINE3	Street Address 1 3rd Line
CITY1	SPAIDEN	SPRADDR_CITY	City 1
STATE1	SPAIDEN	SPRADDR_STAT_CODE	State 1
CNTY_CODE1	SPAIDEN	SPRADDR_CNTY_CODE	County Code 1
CNTY_DESC1	SPAIDEN	STVCNTY_DESC	County 1 Description
ZIP1	SPAIDEN	SPRADDR_ZIP	Zip Code 1
NATN_CODE1	SPAIDEN	SPRADDR_NATN_CODE	Nation Code 1
NATN_DESC1	SPAIDEN	STVNATN_NATION	Nation 1 Description
ADDRESS_TYPE1	SPAIDEN	SPRADDR_ATYP_CODE	Address Type 1

Note: If the telephone number is unlisted (SPRTELE\_UNLIST\_IND= 'Y'), asterisks (\*\*) are returned in place of the actual telephone numbers.

Admissions Applicants (NS\_AS\_ADMISSIONS)

PHONE_AREA_CODE1	SPAIDEN	SPRTELE_PHONE_AREA	Phone Area Code 1
PHONE_NUMBER1	SPAIDEN	SPRTELE_PHONE_NUMBER	Phone Number 1
PHONE_TYPE1	SPAIDEN	SPRTELE_TELE_CODE	Phone Type 1
STREET2_LINE1	SPAIDEN	SPRADDR_STREET_LINE1	Street Address 2 1st Line
STREET2_LINE2	SPAIDEN	SPRADDR_STREET_LINE2	Street Address 2 2ndLine
STREET2_LINE3	SPAIDEN	SPRADDR_STREET_LINE3	Street Address 2 3rd Line
CITY2	SPAIDEN	SPRADDR_CITY	City 2
STATE2	SPAIDEN	SPRADDR_STAT_CODE	State 2
CNTY_CODE2	SPAIDEN	SPRADDR_CNTY_CODE	County Code 2
CNTY_DESC2	SPAIDEN	STVCNTY_DESC	County 2 Description
ZIP2	SPAIDEN	SPRADDR_ZIP	Zip Code 2
NATN_CODE2	SPAIDEN	SPRADDR_NATN_CODE	Nation Code 2
NATN_DESC2	SPAIDEN	STVNATN_NATION	Nation 2 Description
ADDRESS_TYPE2	SPAIDEN	SPRADDR_ATYP_CODE	Address Type 2

Admissions Applicants (NS\_AS\_ADMISSIONS)

PHONE_AREA_CODE2	SPAIDEN	SPRTELE_PHONE_AREA	Phone Area Code 2
PHONE_NUMBER2	SPAIDEN	SPRTELE_PHONE_NUMBER	Phone Number 2
PHONE_TYPE2	SPAIDEN	SPRTELE_TELE_CODE	Phone Type 2
<b>Application Information</b>			
FULL_PART_TIME_IND	SAAADMS	SARADAP_FULL_PART_IND	Full/ Part- time Indicator
LEVL_CODE	SAAADMS	SARADAP_LEVL_CODE	Level Code
LEVL_DESC	SAAADMS	STVLEVL_DESC	Level Description
APPLICATION_DATE	SAAADMS	SARADAP_APPL_DATE	Admissions Application Date
APST_CODE	SAAADMS	SARADAP_APST_CODE	Application Status Code
APST_DESC	SAAADMS	STVAPST_DESC	Application Status Description
APPLICATION_STATUS_DATE	SAAADMS	SARADAP_APST_DATE	Application Status Date
ADMT_CODE	SAAADMS	SARADAP_ADMT_CODE	Admissions Type Code
ADMT_DESC	SAAADMS	STVADMT_DESC	Admissions Type Description
STYP_CODE	SAAADMS	SARADAP_STYP_CODE	Student Type Code

Admissions Applicants (NS\_AS\_ADMISSIONS)

STYP_DESC	SAAADMS	STVSTYP_DESC	Student Type Description
CAMP_CODE	SAAADMS	SARADAP_CAMP_CODE	Campus Code
CAMP_DESC	SAAADMS	STVCAMP_DESC	Campus Description
SITE_CODE	SAAADMS	SARADAP_SITE_CODE	Site Code
SITE_DESC	SAAADMS	STVSITE_DESC	Site Description
RESD_CODE	SAAADMS	SARADAP_RESD_CODE	Residency Code
RESD_DESC	SAAADMS	STVRESD_DESC	Residency Description
IN_OUT_STATE_IND	SAAADMS	STVRESD_IN_STATE_IND	In/ Out of State Indicator
SESS_CODE	SAAADMS	SARADAP_SESS_CODE	Session Code
SESS_DESC	SAAADMS	STVSESS_DESC	Session Description
WRSN_CODE	SAAADMS	SARADAP_WRSN_CODE	Withdrawal Reason
WRSN_DESC	SAAADMS	STVWRSN_DESC	Withdrawal Reason Description
RATE_CODE	SAAADMS	SARADAP_RATE_CODE	Rate Code
RATE_DESC	SAAADMS	STVRATE_DESC	Rate Description

Admissions Applicants (NS\_AS\_ADMISSIONS)

SBGI_CODE_OTHER	SAAADMS	SARADAP_SBGI_CODE	Institution Attending Code
SBGI_DESC_OTHER	SAAADMS	STVSBGI_DESC	Institution Attending Description
RECR_CODE	SAAADMS	SARADAP_RECR_CODE	Recruiter Code
RECR_DESC	SAAADMS	STVRECR_DESC	Recruiter Description
RTYP_CODE	SAAADMS	SARADAP_RTYP_CODE	Recruit Type
RTYP_DESC	SAAADMS	STVRTYP_DESC	Recruit Type Description
<b>Applicant Curriculum Choice</b>			
COLL_CODE1	SAAADMS	SARADAP_COLL_CODE_1	College Code 1 (Primary Curriculum)
COLL_DESC1	SAAADMS	STVCOLL_DESC	College 1 Description (Primary Curr.)
DEGC_CODE1	SAAADMS	SARADAP_DEGC_CODE_1	Degree Code 1 (Primary Curriculum)
DEGC_DESC1	SAAADMS	STVDEGR_DESC	Degree 1 Description (Primary Curr.)
MAJR_CODE1	SAAADMS	SARADAP_MAJR_CODE_1	Major Code 1 (Primary Curriculum)
MAJR_DESC1	SAAADMS	STVMAJR_DESC	Major 1 Description (Primary Curriculum)
DEPT_CODE1	SAAADMS	SARADAP_DEPT_CODE	Department Code 1 (Primary Curriculum)

Admissions Applicants (NS\_AS\_ADMISSIONS)

DEPT_DESC1	SAAADMS	STVDEPT_DESC	Department 1 Description (Primary Curr.)
COLL_CODE2	SAAADMS	SARADAP_COLL_CODE_2	College Code 2 (Secondary Curriculum)
COLL_DESC2	SAAADMS	STVCOLL_DESC	College 2 Description (Secondary Curr.)
DEGC_CODE2	SAAADMS	SARADAP_DEGC_CODE_2	Degree Code 2 (Secondary Curriculum)
DEGC_DESC2	SAAADMS	STVDEGR_DESC	Degree 2 Description (Secondary Curr.)
MAJR_CODE2	SAAADMS	SARADAP_MAJR_CODE_2	Major Code 2 (Secondary Curriculum)
MAJR_DESC2	SAAADMS	STVMAJR_DESC	Major 2 Description (Secondary Curr.)
DEPT_CODE2	SAAADMS	SARADAP_DEPT_CODE_2	Department Code 2 (Secondary Curr.)
DEPT_DESC2	SAAADMS	STVDEPT_DESC	Department 2 Description (Second. Curr.)
MAJR_CODE1_CONC1	SAAADMS	SARADAP_MAJR_CODE_CONC_1	Concentration 1 in Major 1
MAJR_CODE1_CONC2	SAAADMS	SARADAP_MAJR_CODE_CONC_2	Concentration 2 in Major 1
<b>Application Decisions</b>			
Select five Application Decisions using the five most recent Application Decision Dates (SARAPPD_APDC_DATE)			
APDC_CODE1	SAADCRV	SARAPPD_APDC_CODE	Application Decision Code 1
APDC_DESC1	SAADCRV	STVAPDC_DESC	Application Decision 1 Description

Admissions Applicants (NS\_AS\_ADMISSIONS)

APDC_DECISION_DATE1	SAADCRV	SARAPPD_APDC_DATE	Application Decision Date 1
APDC_CODE2	SAADCRV	SARAPPD_APDC_CODE	Application Decision Code 2
APDC_DESC2	SAADCRV	STVAPDC_DESC	Application Decision 2 Description
APDC_DECISION_DATE2	SAADCRV	SARAPPD_APDC_DATE	Application Decision Date 2
APDC_CODE3	SAADCRV	SARAPPD_APDC_CODE	Application Decision Code 3
APDC_DESC3	SAADCRV	STVAPDC_DESC	Application Decision 3 Description
APDC_DECISION_DATE3	SAADCRV	SARAPPD_APDC_DATE	Application Decision Date 3
APDC_CODE4	SAADCRV	SARAPPD_APDC_CODE	Application Decision Code 4
APDC_DESC4	SAADCRV	STVAPDC_DESC	Application Decision 4 Description
APDC_DECISION_DATE4	SAADCRV	SARAPPD_APDC_DATE	Application Decision Date 4
APDC_CODE5	SAADCRV	SARAPPD_APDC_CODE	Application Decision Code 5
APDC_DESC5	SAADCRV	STVAPDC_DESC	Application Decision 5 Description
APDC_DECISION_DATE5	SAADCRV	SARAPPD_APDC_DATE	Application Decision Date 5
ADDITIONAL_DECISIONS	Function	F_STUDENT_CHECK_FOR_MORE	Additional Application Decisions Flag If >5 Application Decisions, put a 'Y' in this field.

**Admissions Checklist Information**

Select seven Checklist Items and related information using the logic defined for the Checklist Items concept on the GTVSDAX form. To see more information about this concept, refer to the manual Implementing GTVSDAX With SCT Banner Object: Access. You can also go to the GTVSDAX form in SCT Banner and query on the Internal Code = ADMSCHKL and Internal Group = CHECK LIST

ADMR_CODE1	SAAADMS	SARCHKL_ADMR_CODE	Checklist Item 1
ADMR_DESC1	SAAADMS	STVADMR_DESC	Checklist Item 1 Description
ADMR_RECEIVED_DATE1	SAAADMS	SARCHKL_RECEIVE_DATE	Date Received 1
ADMR_REQUIRED_IND1	SAAADMS	SARCHKL_CODE_VALUE	Required Item Code 1
ADMR_CODE2	SAAADMS	SARCHKL_ADMR_CODE	Checklist Item 2
ADMR_DESC2	SAAADMS	STVADMR_DESC	Checklist Item 2 Description
ADMR_RECEIVED_DATE2	SAAADMS	SARCHKL_RECEIVE_DATE	Date Received 2
ADMR_REQUIRED_IND3	SAAADMS	SARCHKL_CODE_VALUE	Required Item Code 3
ADMR_CODE3	SAAADMS	SARCHKL_ADMR_CODE	Checklist Item 3
ADMR_DESC3	SAAADMS	STVADMR_DESC	Checklist Item 3 Description
ADMR_RECEIVED_DATE3	SAAADMS	SARCHKL_RECEIVE_DATE	Date Received 3
ADMR_REQUIRED_IND3	SAAADMS	SARCHKL_CODE_VALUE	Required Item Code 3

Admissions Applicants (NS\_AS\_ADMISSIONS)

ADMR_CODE4	SAAADMS	SARCHKL_ADMR_CODE	Checklist Item 4
ADMR_DESC4	SAAADMS	STVADMR_DESC	Checklist Item 4 Description
ADMR_RECEIVED_DATE4	SAAADMS	SARCHKL_RECEIVE_DATE	Date Received 4
ADMR_REQUIRED_IND4	SAAADMS	SARCHKL_CODE_VALUE	Required Item Code 4
ADMR_CODE5	SAAADMS	SARCHKL_ADMR_CODE	Checklist Item 5
ADMR_DESC5	SAAADMS	STVADMR_DESC	Checklist Item 5 Description
ADMR_RECEIVED_DATE5	SAAADMS	SARCHKL_RECEIVE_DATE	Date Received 5
ADMR_REQUIRED_IND5	SAAADMS	SARCHKL_CODE_VALUE	Required Item Code 5
ADMR_CODE6	SAAADMS	SARCHKL_ADMR_CODE	Checklist Item 6
ADMR_DESC6	SAAADMS	STVADMR_DESC	Checklist Item 6 Description
ADMR_RECEIVED_DATE6	SAAADMS	SARCHKL_RECEIVE_DATE	Date Received 6
ADMR_REQUIRED_IND6	SAAADMS	SARCHKL_CODE_VALUE	Required Item Code 6
ADMR_CODE7	SAAADMS	SARCHKL_ADMR_CODE	Checklist Item 7
ADMR_DESC7	SAAADMS	STVADMR_DESC	Checklist Item 7 Description

ADMR_RECEIVED_DATE7	SAAADMS	SARCHKL_RECEIVE_DATE	Date Received 7
ADMR_REQUIRED_IND7	SAAADMS	SARCHKL_CODE_VALUE	Required Item Code 7
ADDITIONAL_CHECKLIST_ITEMS_IND	Function	F_STUDENT_CHECK_FOR_MORE	If >7 Checklist Items, put a 'Y' in this field.

**Source Information**

Get the Primary Source and related information then select three other sources using the logic defined for the Source (Admissions) concept on the GTVSDAX form. To see more information about this concept, refer to the manual Implementing GTVSDAX With SCT Banner Object: Access. You can also go to the GTVSDAX form in SCT Banner and query on the Internal Code = ADMSSRCE and Internal Group = SOURCE.

SBGI_CODE_PRIMARY_SOURCE	SOASBGI	SORBCNT_SBGI_CODE	Primary Source
SBGI_DESC_PRIMARY_SOURCE	SOASBGI	STVSBGI_DESC	Primary Source Description
PRIMARY_SOURCE_CONTACT	SOASBGI	SORBCNT_NAME	Name of Contact at Primary Source
PTYP_CODE	SOASBGI	SORBCNT_PTYT_CODE	Position Type of Contact at Source
PTYP_DESC	SOASBGI	STVPTYP_DESC	Position Type Description of Contact at Source
SBGI_CODE_SOURCE1	SOASBGI	SARRSRC_SBGI_CODE	Source Code 1
SBGI_DESC_SOURCE1	SOASBGI	STVSBGI_DESC	Source Code 1 Description
SBGI_CODE_SOURCE2	SOASBGI	SARRSRC_SBGI_CODE	Source Code 2
SBGI_DESC_SOURCE2	SOASBGI	STVSBGI_DESC	Source Code 2 Description

Admissions Applicants (NS\_AS\_ADMISSIONS)

SBGI_CODE_SOURCE3	SOASBGI	SARRSRC_SBGI_CODE	Source Code 3
SBGI_DESC_SOURCE3	SOASBGI	STVSBGI_DESC	Source Code 3 Description
ADDITIONAL_SOURCES_IND	Function	F_STUDENT_CHECK_FOR_MORE	Additional Source Code Flag If >3 Source Codes, put a 'Y' in this field.

**Contact Information**

Get the First (Earliest) Contact and the Latest (Most Recent) Contact based on SORCONT\_CONTACT\_DATE. Then select five other Contacts using the logic defined for the Contact Type (Admissions) concept on the GTVSDAX form. To see more information about this concept, refer to the manual Implementing GTVSDAX With SCT Banner Object: Access. You can also go to the GTVSDAX form in SCT Banner and query on the Internal Code = ADMSCCTYP and Internal Group = CONTACTS.

Note: Be sure that you refer to the correct Contact Type concept since there is more than one.

FIRST_CONTACT	SAAADMS	SORCONT_CTYP_CODE	First (Earliest) Contact
FIRST_CONTACT_DATE	SAAADMS	SORCONT_CONTACT_DATE	Date of First (Earliest) Contact
LATEST_CONTACT	SAAADMS	SORCONT_CTYP_CODE	Latest (Most Recent) Contact
LATEST_CONTACT_DATE	SAAADMS	SORCONT_CONTACT_DATE	Date of Latest (Most Recent) Contact
CTYP_CODE1	SAAADMS	SORCONT_CTYP_CODE	Type of Contact 1
CTYP_DATE1	SAAADMS	SORCONT_CONTACT_DATE	Date of Contact 1
CTYP_CODE2	SAAADMS	SORCONT_CTYP_CODE	Type of Contact 2
CTYP_DATE2	SAAADMS	SORCONT_CONTACT_DATE	Date of Contact 2
CTYP_CODE3	SAAADMS	SORCONT_CTYP_CODE	Type of Contact 3

CTYP_DATE3	SAAADMS	SORCONT_CONTACT_DATE	Date of Contact 3
CTYP_CODE4	SAAADMS	SORCONT_CTYP_CODE	Type of Contact 4
CTYP_DATE4	SAAADMS	SORCONT_CONTACT_DATE	Date of Contact 4
CTYP_CODE5	SAAADMS	SORCONT_CTYP_CODE	Type of Contact 5
CTYP_DATE5	SAAADMS	SORCONT_CONTACT_DATE	Date of Contact 5
ADDITIONAL_CONTACTS_IND	Function	F_STUDENT_CHECK_FOR_MORE	Additional Contact Flag If >5 Contacts, put a 'Y' in this field.

**Interests**

Select five Interests using the logic defined for the Interests (Admissions) concept on the GTVSDAX form. To see more information about this concept, refer to the manual Implementing GTVSDAX With SCT Banner Object: Access. You can also go to the GTVSDAX form in SCT Banner and query on the Internal Code = ADMSINTS and Internal Group = INTERESTS.

Note: Be sure that you refer to the correct Interests concept since there is more than one.

INTS_CODE1	SAAADMS	SORINTS_INTS_CODE	Interest Code 1
INTS_DESC1	SAAADMS	STVINTS_DESC	Interest Code 1 Description
INTS_CODE2	SAAADMS	SORINTS_INTS_CODE	Interest Code 2
INTS_DESC2	SAAADMS	STVINTS_DESC	Interest Code 2 Description
INTS_CODE3	SAAADMS	SORINTS_INTS_CODE	Interest Code 3
INTS_DESC3	SAAADMS	STVINTS_DESC	Interest Code 3 Description

Admissions Applicants (NS\_AS\_ADMISSIONS)

INTS_CODE4	SAAADMS	SORINTS_INTS_CODE	Interest Code 4
INTS_DESC4	SAAADMS	STVINTS_DESC	Interest Code 4 Description
INTS_CODE5	SAAADMS	SORINTS_INTS_CODE	Interest Code 5
INTS_DESC5	SAAADMS	STVINTS_DESC	Interest Code 5 Description
ADDITIONAL_INTERESTS_IND	Function	F_STUDENT_CHECK_FOR_MORE	Additional Interest Code Flag If >5 Interest Codes, put a 'Y' in this field.
<b>High School Information</b>			
SBGI_CODE_HIGH_SCHOOL	SOAHSCH	SORHSCH_SBGI_CODE	High School CEEB Code
SBGI_DESC_HIGH_SCHOOL	SOAHSCH	STVSBGI_DESC	High School Name
HIGH_SCHOOL_STREET1	SOAHSCH	SOBSBGI_STREET_LINE1	High School Street Address 1st Line
HIGH_SCHOOL_STREET2	SOAHSCH	SOBSBGI_STREET_LINE2	High School Street Address 2nd Line
HIGH_SCHOOL_STREET3	SOAHSCH	SOBSBGI_STREET_LINE3	High School Street Address 3rd Line
HIGH_SCHOOL_CITY	SOAHSCH	SOBSBGI_CITY	High School City
HIGH_SCHOOL_STATE	SOAHSCH	SOBSBGI_STAT_CODE	High School State Code
HIGH_SCHOOL_ZIP	SOAHSCH	SOBSBGI_ZIP	High School Zip Code

Admissions Applicants (NS\_AS\_ADMISSIONS)

HIGH_SCHOOL_GRAD_DATE	SOAHSCH	SORHSCH_GRADUATION_DATE	High School Graduation Date
HIGH_SCHOOL_PERCENTILE	SOAHSCH	SORHSCH_PERCENTILE	Recruit High School Class Percentile
HIGH_SCHOOL_RANK	SOAHSCH	SORHSCH_CLASS_RANK	Recruit High School Class Rank
HIGH_SCHOOL_SIZE	SOAHSCH	SORHSCH_CLASS_SIZE	Recruit High School Class Size
HIGH_SCHOOL_REPORTED_GPA	SOAHSCH	SORHSCH_GPA	Recruit High School GPA
DPLM_CODE	SOAHSCH	SORHSCH_DPLM_CODE	High School Diploma Type
DPLM_DESC	SOAHSCH	STVDPLM_DESC	Diploma Type Description
<b>Prior College Information</b>			
Select three Prior Colleges based on the three most recent dates in SORPCOL_TRANS_RECV_DATE for the applicant's associated degree and/ or major.			
SBGI_CODE_PRIOR_COLLEGE1	SOAPCOL	SORPCOL_SBGI_CODE	Prior College CEEB Code 1
SBGI_DESC_PRIOR_COLLEGE1	SOAPCOL	STVSBGI_DESC	Prior College Name 1
TRANSCRIPT_RECEIVED_DATE1	SOAPCOL	SORPCOL_TRANS_RECV_DATE	Prior College Transcript Received Date 1
TRANSCRIPT_REVIEWED_DATE1	SOAPCOL	SORPCOL_TRANS_REV_DATE	Prior College Transcript Reviewed Date 1
DEGC_CODE_PRIOR_COLLEGE1	SOAPCOL	SORDEGR_DEGR_CODE	Degree Code of Prior College 1
GPA_TRANSFERRED_PCOL1	SOAPCOL	SORDEGR_GPA_TRANSFERRED	Prior College GPA Transferred 1

Admissions Applicants (NS\_AS\_ADMISSIONS)

MAJR_CODE_PRIOR_COLLEGE1	SOAPCOL	SORMAJR_MAJR_CODE_MAJOR	Major Code of Prior College 1
SBGI_CODE_PRIOR_COLLEGE2	SOAPCOL	SORPCOL_SBGI_CODE	Prior College CEEB Code 2
SBGI_DESC_PRIOR_COLLEGE2	SOAPCOL	STVSBGI_DESC	Prior College Name 2
TRANSCRIPT_RECEIVED_DATE2	SOAPCOL	SORPCOL_TRANS_RECV_DATE	Prior College Transcript Received Date 2
TRANSCRIPT_REVIEWED_DATE2	SOAPCOL	SORPCOL_TRANS_REV_DATE	Prior College Transcript Reviewed Date 2
DEGC_CODE_PRIOR_COLLEGE2	SOAPCOL	SORDEGR_DEGR_CODE	Degree Code of Prior College 2
GPA_TRANSFERED_PCOL2	SOAPCOL	SORDEGR_GPA_TRANSFERRED	Prior College GPA Transferred 2
MAJR_CODE_PRIOR_COLLEGE2	SOAPCOL	SORMAJR_MAJR_CODE_MAJOR	Major Code of Prior College 2
SBGI_CODE_PRIOR_COLLEGE3	SOAPCOL	SORPCOL_SBGI_CODE	Prior College CEEB Code 3
SBGI_DESC_PRIOR_COLLEGE3	SOAPCOL	STVSBGI_DESC	Prior College Name 3
TRANSCRIPT_RECEIVED_DATE3	SOAPCOL	SORPCOL_TRANS_RECV_DATE	Prior College Transcript Received Date 3
TRANSCRIPT_REVIEWED_DATE3	SOAPCOL	SORPCOL_TRANS_REV_DATE	Prior College Transcript Reviewed Date 3
DEGC_CODE_PRIOR_COLLEGE3	SOAPCOL	SORDEGR_DEGR_CODE	Degree Code of Prior College 3
GPA_TRANSFERED_PCOL3	SOAPCOL	SORDEGR_GPA_TRANSFERRED	Prior College GPA Transferred 3

Admissions Applicants (NS\_AS\_ADMISSIONS)

MAJR_CODE_PRIOR_COLLEGE3	SOAPCOL	SORMAJR_MAJR_CODE_MAJOR	Major Code of Prior College 3
ADDITIONAL_PCOL_IND	Function	F_STUDENT_CHECK_FOR_MORE	Additional Prior Colleges Flag If >3 Prior Colleges, put a 'Y' in this field.
<b>Test Score Information</b>			
Select seven Test Scores using the logic defined for the Test Scores (Student) concept on the GTVSDAX form. To see more information about this concept, refer to the manual Implementing GTVSDAX With SCT Banner Object: Access. You can also go to the GTVSDAX form in SCT Banner and query on the Internal Code = ADMSTEST and Internal Group = TEST			
TEST_CODE1	SOATEST	SORTEST_TESC_CODE	Test Score Code 1
TEST_SCORE1	SOATEST	Function F_TEST_SCORE_FNC	MAX value of Test Score 1 (regardless on date test was taken)
TEST_DATE1	SOATEST	SORTEST_TEST_DATE	Test Date 1 of a MAX value of Test Score 1
TEST_CODE2	SOATEST	SORTEST_TESC_CODE	Test Score Code 2
TEST_SCORE2	SOATEST	Function F_TEST_SCORE_FNC	MAX value of Test Score 2 (regardless on date test was taken)
TEST_DATE2	SOATEST	SORTEST_TEST_DATE	Test Date 2 of MAX value of Test Score 2
TEST_CODE3	SOATEST	SORTEST_TESC_CODE	Test Score Code 3
TEST_SCORE3	SOATEST	Function F_TEST_SCORE_FNC	Composite of MAX values of Test Score 1 and of Test Score 2 (regardless on test dates).
TEST_DATE3	SOATEST	Function F_NS_GET_SATC_MAX_DATE	Test Date 3 (Function compares dates Test 1 and Test 2 dates and returns the latest).
TEST_CODE4	SOATEST	SORTEST_TESC_CODE	Test Score Code 4
TEST_SCORE4	SOATEST	SORTEST_TEST_SCORE	Test Score 4

TEST_DATE4	SOATEST	SORTEST_TEST_DATE	Test Date 4
TEST_CODE5	SOATEST	SORTEST_TESC_CODE	Test Score Code 5
TEST_SCORE5	SOATEST	SORTEST_TEST_SCORE	Test Score 5
TEST_DATE5	SOATEST	SORTEST_TEST_DATE	Test Date 5
TEST_CODE6	SOATEST	SORTEST_TESC_CODE	Test Score Code 6
TEST_SCORE6	SOATEST	SORTEST_TEST_SCORE	Test Score 6
TEST_DATE6	SOATEST	SORTEST_TEST_DATE	Test Date 6
TEST_CODE7	SOATEST	SORTEST_TESC_CODE	Test Score Code 7
TEST_SCORE7	SOATEST	SORTEST_TEST_SCORE	Test Score 7
TEST_DATE7	SOATEST	SORTEST_TEST_DATE	Test Date 7
ADDITIONAL_TESTS_IND	Function	F_STUDENT_CHECK_FOR_MORE	Additional Test Scores Flag If >7 Test Scores, put a 'Y' in this field.
<b>International Information</b>			
INTERNATIONAL_BIRTH_NATION	SPAINL	SPRINTL_NATN_CODE_BIRTH	Birth Nation of International Applicant
INTERNATIONAL_LEGAL_NATION	SPAINL	SPRINTL_NATN_CODE_LEGAL	Citizenship Nation of International App.

INTERNATIONAL_VISA_NUMBER	SPAINTL	SPRINTL_VISA_NUMBER	Visa Number of International Applicant
---------------------------	---------	---------------------	--

INTERNATIONAL_VISA_TYPE	SPAINTL	SPRINTL_VTYP_CODE_CURRENT	Current Visa Type Code
-------------------------	---------	---------------------------	------------------------

**Hold Information**

Select five Holds and related information using the Reporting Date field for the Holds (Student) concept on the GTVSDAX form. The Reporting Date defaults to today's date unless you change it on GTVSDAX. To see more information about this concept, refer to the manual Implementing GTVSDAX With SCT Banner Object: Access. You can also go to the GTVSDAX form in SCT Banner and query on the Internal Code = STDNHOLD and Internal Group = HOLDS.

Note: Be sure that you refer to the correct Holds concept since there is more than one.

ADDITIONAL_HOLDS_IND	Function	F_STUDENT_CHECK_FOR_MORE	Additional Holds Flag
----------------------	----------	--------------------------	-----------------------

If >5 Holds, put a 'Y' in this field.

HOLD_CODE1	SOAHOLD	SPRHOLD_HLDD_CODE	Hold Code 1
------------	---------	-------------------	-------------

HOLD_DESC1	SOAHOLD	STVHLDD_DESC	Hold 1 Description
------------	---------	--------------	--------------------

HOLD_FROM_DATE1	SOAHOLD	SPRHOLD_FROM_DATE	Start Date of Hold 1
-----------------	---------	-------------------	----------------------

HOLD_TO_DATE1	SOAHOLD	SPRHOLD_TO_DATE	End Date of Hold 1
---------------	---------	-----------------	--------------------

HOLD_AMOUNT_OWED1	SOAHOLD	SPRHOLD_AMOUNT_OWED	Hold Amount Owed 1
-------------------	---------	---------------------	--------------------

HOLD_REASON1	SOAHOLD	SPRHOLD_REASON	Reason for Hold 1
--------------	---------	----------------	-------------------

HOLD_CODE2	SOAHOLD	SPRHOLD_HLDD_CODE	Hold Code 2
------------	---------	-------------------	-------------

HOLD_DESC2	SOAHOLD	STVHLDD_DESC	Hold 2 Description
------------	---------	--------------	--------------------

HOLD_FROM_DATE2	SOAHOLD	SPRHOLD_FROM_DATE	Start Date of Hold 2
-----------------	---------	-------------------	----------------------

Admissions Applicants (NS\_AS\_ADMISSIONS)

HOLD_TO_DATE2	SOAHOLD	SPRHOLD_TO_DATE	End Date of Hold 2
HOLD_AMOUNT_OWED2	SOAHOLD	SPRHOLD_AMOUNT_OWED	Hold Amount Owed 2
HOLD_REASON2	SOAHOLD	SPRHOLD_REASON	Reason for Hold 2
HOLD_CODE3	SOAHOLD	SPRHOLD_HLDD_CODE	Hold Code 3
HOLD_DESC3	SOAHOLD	STVHLDD_DESC	Hold 3 Description
HOLD_FROM_DATE3	SOAHOLD	SPRHOLD_FROM_DATE	Start Date of Hold 3
HOLD_TO_DATE3	SOAHOLD	SPRHOLD_TO_DATE	End Date of Hold 3
HOLD_AMOUNT_OWED3	SOAHOLD	SPRHOLD_AMOUNT_OWED	Hold Amount Owed 3
HOLD_REASON3	SOAHOLD	SPRHOLD_REASON	Reason for Hold 3
HOLD_CODE4	SOAHOLD	SPRHOLD_HLDD_CODE	Hold Code 4
HOLD_DESC4	SOAHOLD	STVHLDD_DESC	Hold 4 Description
HOLD_FROM_DATE4	SOAHOLD	SPRHOLD_FROM_DATE	Start Date of Hold 4
HOLD_TO_DATE4	SOAHOLD	SPRHOLD_TO_DATE	End Date of Hold 4
HOLD_AMOUNT_OWED4	SOAHOLD	SPRHOLD_AMOUNT_OWED	Hold Amount Owed 4

Admissions Applicants (NS\_AS\_ADMISSIONS)

HOLD_REASON4	SOAHOLD	SPRHOLD_REASON	Reason for Hold 4
HOLD_CODE5	SOAHOLD	SPRHOLD_HLDD_CODE	Hold Code 5
HOLD_DESC5	SOAHOLD	STVHLDD_DESC	Hold 5 Description
HOLD_FROM_DATE5	SOAHOLD	SPRHOLD_FROM_DATE	Start Date of Hold 5
HOLD_TO_DATE5	SOAHOLD	SPRHOLD_TO_DATE	End Date of Hold 5
HOLD_AMOUNT_OWED5	SOAHOLD	SPRHOLD_AMOUNT_OWED	Hold Amount Owed 5
HOLD_REASON5	SOAHOLD	SPRHOLD_REASON	Reason for Hold 5

**Admissions Attribute**

Select five Attributes using the logic defined in GTVSDAX form with Internal Code = ADMISSIONS and Internal Group = ATTRIBUTES

ATTS_CODE1	SAAADMS	SARAATT_ATTS_CODE	Admissions Attribute Code 1
ATTS_DESC1	SAAADMS	STVATTS_DESC	Admissions Attribute 1 Description
ATTS_CODE2	SAAADMS	SARAATT_ATTS_CODE	Admissions Attribute Code 2
ATTS_DESC2	SAAADMS	STVATTS_DESC	Admissions Attribute 2 Description
ATTS_CODE3	SAAADMS	SARAATT_ATTS_CODE	Admissions Attribute Code 3
ATTS_DESC3	SAAADMS	STVATTS_DESC	Admissions Attribute 3 Description

Admissions Applicants (NS\_AS\_ADMISSIONS)

ATTS_CODE4	SAAADMS	SARAATT_ATTS_CODE	Admissions Attribute Code 4
ATTS_DESC4	SAAADMS	STVATTS_DESC	Admissions Attribute 4 Description
ATTS_CODE5	SAAADMS	SARAATT_ATTS_CODE	Admissions Attribute Code 5
ATTS_DESC5	SAAADMS	STVATTS_DESC	Admissions Attribute 5 Description
<b>Cohort Information</b>			
CHRT_CODE1	SAAADMS	SARCHRT_CHRT_CODE	Cohort Code
CHRT_DESC1	SAAADMS	STVCHRT_DESC	Cohort Description
<b>Rating Information</b>			
Select five most recent Ratings for the application using Sarrat_Activity_Date			
RATE_TYPE1	SAARRAT	SARRRAT_RATP_CODE	Rating Type Code 1
RATING1	SAARRAT	SARRRAT_RATING	Rating Value 1
RATE_ADMIN_ID1	SAARRAT	SARRRAT_AROL_PIDM	Admissions/Recruit Administrator 1 Id
RATE_ADMIN_NAME1	Function	F_FACT_NAME	Admissions/Recruit Administrator 1 Name
RATE_ADMIN_ROLE_CODE1	SAARRAT	SARRRAT_RADM_CODE	Administrator 1 Role
RATE_USER1	SAARRAT	SARRRAT_USER	User ID 1

Admissions Applicants (NS\_AS\_ADMISSIONS)

RATE_TYPE2	SAARRAT	SARRRAT_RATP_CODE	Rating Type Code 2
RATING2	SAARRAT	SARRRAT_RATING	Rating Value 2
RATE_ADMIN_ID2	SAARRAT	SARRRAT_AROL_PIDM	Admissions/Recruit Administrator 2 Id
RATE_ADMIN_NAME2	Function	F_FACT_NAME	Admissions/Recruit Administrator 2 Name
RATE_ADMIN_ROLE_CODE2	SAARRAT	SARRRAT_RADM_CODE	Administrator 2 Role
RATE_USER2	SAARRAT	SARRRAT_USER	User ID 2
RATE_TYPE3	SAARRAT	SARRRAT_RATP_CODE	Rating Type Code 3
RATING3	SAARRAT	SARRRAT_RATING	Rating Value 3
RATE_ADMIN_ID3	SAARRAT	SARRRAT_AROL_PIDM	Admissions/Recruit Administrator 3 Id
RATE_ADMIN_NAME3	Function	F_FACT_NAME	Admissions/Recruit Administrator 3 Name
RATE_ADMIN_ROLE_CODE3	SAARRAT	SARRRAT_RADM_CODE	Administrator 3 Role
RATE_USER3	SAARRAT	SARRRAT_USER	User ID 3
RATE_TYPE4	SAARRAT	SARRRAT_RATP_CODE	Rating Type Code 4
RATING4	SAARRAT	SARRRAT_RATING	Rating Value 4

Admissions Applicants (NS\_AS\_ADMISSIONS)

RATE_ADMIN_ID4	SAARRAT	SARRRAT_AROL_PIDM	Admissions/Recruit Administrator 4 Id
RATE_ADMIN_NAME4	Function	F_FACT_NAME	Admissions/Recruit Administrator 4 Name
RATE_ADMIN_ROLE_CODE4	SAARRAT	SARRRAT_RADM_CODE	Administrator 4 Role
RATE_USER4	SAARRAT	SARRRAT_USER	User ID 4
RATE_TYPE5	SAARRAT	SARRRAT_RATP_CODE	Rating Type Code 5
RATING5	SAARRAT	SARRRAT_RATING	Rating Value 5
RATE_ADMIN_ID5	SAARRAT	SARRRAT_AROL_PIDM	Admissions/Recruit Administrator 5 Id
RATE_ADMIN_NAME5	Function	F_FACT_NAME	Admissions/Recruit Administrator 5 Name
RATE_ADMIN_ROLE_CODE5	SAARRAT	SARRRAT_RADM_CODE	Administrator 5 Role
RATE_USER5	SAARRAT	SARRRAT_USER	User ID 5
<b>Application Comments</b>			
Select three most recent Comments for the application based on saracmt_seqn. Only display the first 1000 characters of each comment.			
APP_CMT_ORIG1	SAAADMS	SARACMT_ORIG_CODE	Application Comment Originator Code 1
APP_CMT_ORIG_DESC1	SAAADMS	STVORIG_DESC	Application Comment Originator 1 Description
APP_CMT1	SAAADMS	SARACMT_COMMENT_TEXT	Application Comment 1

Admissions Applicants (NS\_AS\_ADMISSIONS)

APP_CMT_ORIG2	SAAADMS	SARACMT_ORIG_CODE	Application Comment Originator Code 2
APP_CMT_ORIG_DESC2	SAAADMS	STVORIG_DESC	Application Comment Originator 2 Description
APP_CMT2	SAAADMS	SARACMT_COMMENT_TEXT	Application Comment 2
APP_CMT_ORIG3	SAAADMS	SARACMT_ORIG_CODE	Application Comment Originator Code 3
APP_CMT_ORIG_DESC3	SAAADMS	STVORIG_DESC	Application Comment Originator 3 Description
APP_CMT3	SAAADMS	SARACMT_COMMENT_TEXT	Application Comment 3
<b>Person Comments</b>			
Select three most recent Person Comments based on sprcmnt_activity_date. Only display the first 1000 characters of each comment.			
PER_CMT_TYPE1	SPACMNT	SPRCMNT_CMTT_CODE	Person Comment Type Code 1
PER_CMT_TYPE_DESC1	SPACMNT	STVCMTT_DESC	Person Comment Type 1 Description
PER_CMT_1	SPACMNT	SPRCMNT_TEXT	Person Comment 1
PER_CMT_TYPE2	SPACMNT	SPRCMNT_CMTT_CODE	Person Comment Type Code 2
PER_CMT_TYPE_DESC2	SPACMNT	STVCMTT_DESC	Person Comment Type 2 Description
PER_CMT_2	SPACMNT	SPRCMNT_TEXT	Person Comment 2
PER_CMT_TYPE3	SPACMNT	SPRCMNT_CMTT_CODE	Person Comment Type Code 3

Admissions Applicants (NS\_AS\_ADMISSIONS)

PER_CMT_TYPE_DESC3	SPACMNT	STVCMNT_DESC	Person Comment Type 3 Description
PER_CMT_3	SPACMNT	SPRCMNT_TEXT	Person Comment 3
PROGRAM_CODE	SAAADMS	SARADAP_PROGRAM_1	Curriculum 1 Program Code
MRE_CONFIRMED_RE_CDE	SPAIDEN SPAPERS	FUNCTION: SUBSTR (baninst1.f_ns_new_ethnicity (saradap_pidm, 'IND'), 1, 1)	This field defines that the person has completed the survey.
MRE_CONFIRMED_RE_DATE	SPAIDEN SPAPERS	FUNCTION: SUBSTR (baninst1.f_ns_new_ethnicity (saradap_pidm, 'DATE'), 1, 11)	This field defines the date that the person has completed the survey.
MRE_ETHNIC_CDE	SPAIDEN SPAPERS	FUNCTION: SUBSTR (baninst1.f_ns_new_ethnicity (saradap_pidm, 'ETHNCDE'), 1, 1)	This field contains the ethnicity of the person. Valid values are 0,1, or 2.
MRE_ETHNIC_DESCRIPTION	SPAIDEN SPAPERS	FUNCTION: SUBSTR (baninst1.f_ns_new_ethnicity (saradap_pidm, 'ETHNDESC'),1,30)	This field defines the ethnicity code description of the person.
MRE_RACE_CDE	SPAIDEN SPAPERS	FUNCTION: SUBSTR (baninst1.f_ns_get_race (saradap_pidm),1,3)	This field defines the race code of the person.
MRE_RACE_DESCRIPTION	SPAIDEN SPAPERS	FUNCTION: SUBSTR (baninst1.f_ns_get_race (saradap_pidm),4,60)	This field defines the description of the race code of the person.
MRE_RACE_MULTIPLE_IND	SPAIDEN SPAPERS	FUNCTION: SUBSTR (baninst1.f_ns_get_race (saradap_pidm),64,1)	This field determines if the person has reported 2 or more races.
MRE_RACE_UNKNOWN_IND	SPAIDEN SPAPERS	FUNCTION: SUBSTR (baninst1.f_ns_get_race (saradap_pidm),65,1)	This field determines that no race or ethnicity has been identified for the person.